

# Sustainable Horticulture Practices: An Environmentally Friendly Approach

Ronak Kuri<sup>1\*</sup>; Santosh Kumar Jakhar<sup>2</sup>; Naresh Kumar<sup>3</sup>; Santosh Choudhary<sup>4</sup>;  
Mahesh Kumar Poonia<sup>5</sup>

<sup>1</sup>Ph.D. scholar Department of Horticulture, Agriculture University, Jodhpur, Rajasthan 342304, India.

<sup>2</sup>Master's Scholar, Department of Animal Science, Palli Siksha Bhavana (Institute of Agriculture) Visva-Bharati Sriniketan, West Bengal, India

<sup>3</sup>Ph.D. scholar Department of Agronomy, Agriculture University, Jodhpur, Rajasthan 342304, India.

<sup>4</sup>Assistant Professor, Department of Horticulture, Agriculture University, Jodhpur, Rajasthan 342304, India.

<sup>5</sup>Professor, Department of Horticulture, Agriculture University, Jodhpur, Rajasthan 342304, India.

\*Corresponding Author

Received:- 18 April 2025/ Revised:- 24 April 2025/ Accepted:- 29 April 2025/ Published: 05-05-2025

Copyright © 2025 International Journal of Environmental and Agriculture Research

This is an Open-Access article distributed under the terms of the Creative Commons Attribution

Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted

Non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Abstract**— *This summary paper provides a general overview of sustainable gardening methods, highlighting many environmentally friendly technologies used in the industry. Horticulture is extremely important to conserving food, green cities and biological diversity. However, traditional garden tree methods often have negative environmental impacts, such as soil erosion, water pollution, and greenhouse gas emissions. The introduction of sustainable and ecologically friendly practices in gardening has become increasingly important in recent years. In order to reduce environmental impacts, increase production and promote long-term sustainability, this review examines and evaluates the effectiveness of various strategies. This study analyzes many critical issues, including organic farming, integrated pest control, water protection, soil health treatment, and improving biodiversity. Research shows that eco-friendly garden practices can also lead to lower ecosystem input costs and better benefits. However, there are also difficulties and potential information regarding the widespread use of these techniques. The analysis concludes with suggestions for additional research and useful findings on promoting sustainable horticultural practices.*

**Keywords**— *Sustainable horticulture, ecologically friendly, organic farming, integrated pest management, water conservation, biodiversity.*

## I. INTRODUCTION

This summary paper provides a general overview of sustainable gardening methods and illustrates many environmentally friendly technologies used in the industry. Horticulture is extremely important for the conservation of food, green cities and biological diversity. However, traditional garden tree methods are often negatively affected to the environment, such as soil erosion, water pollution and greenhouse gas emissions. The introduction of sustainable and ecologically friendly practices in gardening has become increasingly important in recent years. To reduce environmental impacts, increase production and promote long-term sustainability, this review examines and evaluates the effectiveness of various strategies. This study analyzes many critical issues, including organic farming, integrated pest control, water protection, soil treatment, and improved biodiversity. Research shows that eco-friendly garden practices can also lead to lower ecosystem costs and better benefits. However, there are also difficulties and potential information regarding the widespread use of these techniques. The analysis concludes with suggestions for additional research and useful knowledge to promote sustainable gardening practices.

## II. SUSTAINABLE HORTICULTURE PRACTICES

**These are following practices apply in sustainable horticulture.**

### 2.1 Organic Farming in Horticulture:

Cultivation of fruits, vegetables, flowers and other garden plants using other natural methods and ingredients is highlighted in organic farming, an eco-friendly style of gardening. This method avoids artificial pesticides, fertilizers, and genetically modified organisms (GVOs) and supports sustainable agricultural systems suitable for the environment and human health. In this section you can find an overview of organic garden building areas and agriculture in discussion. Organic farming prioritizes soil biological diversity and health conservation, reducing adverse environmental impacts. Organic farmers are B. They use a variety of methods, including plant rotation, composting, green manure, and using insects that help to control pests rather than relying on synthetic pesticides. These methods contribute to increased microbial activity, reduced soil erosion, improved water and nutrient retention, and improved soil fertility (Reganold et al., 2010) [8]. This is one of the main benefits of organic farming in horticulture by reducing the use of synthetic pesticides and fertilizers, maintaining ecosystems, and reducing soil and water pollution. According to research (Zaller et al., 2019) [1], bioagriculture practices can dramatically reduce pesticide residues in plants and surrounding areas. Compared to traditional reared products, organic fruits and vegetables were found to have higher concentrations of some essential nutrients and antioxidants (Baranski et al., 2014) [5]. Through the supply of habitat for economic creatures such as pollinators and natural opponents of pests, biological agriculture helps the presence of biological diversity in gardening aids. By enabling the presence of different plant species, it strengthens, compensates for, and corrects ecosystems. According to research (Bommarco et al., 2013; Hole et al., 2005) [6, 7], organic farming has a positive effect on birds, favorable insects and pollinators. This highlights the potential for biological horticulture to support animal welfare.

### 2.2 Integrated Pest Management (IPM):

Integrated pest management (IPM) is an important horticultural method for combining many tactics to efficiently control pests while simultaneously reducing the use of chemical pesticides and adverse environmental impacts. IPM practices combine biological, cultural, physical and chemical management techniques to maintain pest populations at harmful levels, while simultaneously promoting ecological balance and reducing human health risks. In this section, you will find a summary of the IPM techniques and arguments used in horticulture. The use of natural enemies, including predators, parasites and viruses, for the treatment of pest populations, is known as biological controls and is one of the main principles of IPM in horticulture. More sustainable self-regulation systems for pest control can be developed by releasing or maintaining biological control measures by altering the availability of habitats, selective plants, and alternative food sources (Gontijo et al., 2018) [4]. Cultural practices play an important role in IPM by promoting adverse pest conditions and increasing health and resistance to plants. Harvest, use of resistant types, good hygiene, and timing of planting are some cultural practices that break the pest lifecycle and reduce pest load. In IPM, physical exclusion or removal of pests from the harvest environment is the goal of a physical control approach. Examples include using pest control machines and using barriers, falls, networks and traps. These techniques can be extremely efficient, especially in combination with other IPM tactics. Chemical control is the final line of defense in IPM and is only used when this is absolutely necessary. Selected target pesticide treatments are administered as needed based on pest monitoring and thresholds. IPM promotes the use of pesticides because it has little negative effects on the environment and non-target creatures and therefore has little risk. IPM techniques have many benefits for horticultural purposes. They reduce the need for pesticides, delay the development of pesticide resistance in pesticides, protect natural predators and allies, and reduce unintended creatures and the environment. Research shows that IPM has successfully performed pesticides in plants, promoting biodiversity, and increasing general harvests (Gontijo et al., 2018; Parrella et al., 2009) [4, 9].

### 2.3 Water Conservation in Horticulture:

Maintaining water is an important part of sustainable garden practices as water shortages and effective water resource management become more important. In this section you can find a summary of the water conservation techniques and discussions used in horticulture. Drip irrigation is a very effective way to protect water in horticulture. In contrast to traditional irrigation techniques, water directly into the plant's root zones minimizes evaporation and drainage. According to Chaves et al. (2019) [3] Drip irrigation system can save up to 50% water, while maintaining ideal herbal hydration. In addition to reducing weed growth and fungal infections, fungal infections associated with too much moisture in crafts also inhibit accurate control of watering. Precision irrigation is another strategy of water conservation used in the latest technology depending on the individual requirements of plants from top technology. To plan irrigation more effectively and avoid excessive gradation, weather information, soil moisture sensors and computer-controlled systems. Precision irrigation maximizes the efficiency of

water consumption and minimizes water waste by specifying only the locations and locations needed (Chaves et al., 2019) [3]. Recycled water is becoming more and more popular in horticultural form than sustainable water supply. It is possible to convert treated wastewater, gray water, or accumulation accumulation for irrigation. Water recycling is an important resource for plant nutrition as it reduces nutrient contamination in wastewater and preserves freshwater resources. Intensive monitoring and correct treatment are required to ensure the safety and purity of recycled water for horticultural applications (Chaves et al., 2019) [3]. Covering the floor with organic or synthetic materials is an effective mulching practice for obtaining water. Mulch preserves soil levels, inhibits weed development and reduces soil evaporation. Although they break down over time, organic mulch such as straws, wooden chips, and compost can help improve soil structure and fertility (Borrelli et al., 2019) [2]. Mulch also helps regulate soil temperature by reducing excessive variation, contaminating the system and increasing water requirements. Another way to keep water in gardening is to cover. Cover the fruit next to the harvest cycle or major plants to protect and improve soil health. Coverfruit provides a dense protective layer that reduces evaporation, increases water infiltration and increases soil moisture retention. Furthermore, the cover fruit improves soil structure, nitrogen rides, and organic matter content that contributes to long-term water conservation (Borrelli et al., 2019) [2].

#### **2.4 Soil Health Management in Horticulture:**

Soil health management is an important part of sustainable gardening practices as it is essential to maintain long-term production and promote support for ecosystem functions. The benefits of references that indicate ground health techniques used in horticulture and their effectiveness are discussed in this section. Covered fruits are often used to improve soil health by horticulture. Fruits such as grasses and legumes associated with fallow times or major plants are cultivated for soil protection and accumulation. According to Borelli et al. (2019) [2] Improve soil structure and water retention capacity, increase organic soil content, promote nutrient cycling, and minimize soil erosion. Increased crop yield, reduced nutrient washing, and improved soil biodiversity are the possible consequences of including cover fruit in gardening systems. Another successful method for treating soil health in horticulture is mulch. Mud materials, either organic or inorganic, can be applied to the floor surface to control soil temperature, reduce moisture loss due to evaporation, inhibit weed development, and improve nutrient cycles. Straw, wooden chips, or compost are examples of organic mulch that contribute to the development of organic soil materials, improving soil structure, and promoting soil microbial activity (Borrelli et al., 2019) [2]. Composting and Vermic composting are effective ways to recycle organic waste and increase soil fertility in horticulture. The composting process involves the assembly of organic materials in nutrient-rich soil supplements. Earthworms are used for insect composting to accelerate the collapse of organic matter and to produce insect compost at the highest air. According to Borrelli et al. (2019) [2] and Choudhury et al. (2017) [15]. Both techniques stimulate soil microbial activity, improve soil structure, and increase nutrient availability. Plant rotation is a known method for treating soil health, with various types of harvest being planted in a given order. Harvesting supports a decrease in vegetative organism guards, disrupting the cycle of pests and diseases, and improving soil structure. Gardening systems can successfully handle pest treatments, improve soil biological diversity, and maximize nutrient absorption by diversifying plant species (Borrelli et al., 2019) [2]. Nitrogen treatment and bed testing planning are an integral part of the treatment of soil health in horticulture. Regular soil testing can assess the state of nutrients in the soil and change fertilizers accordingly to make the plants as accessible as possible to the nutrients, while at the same time reducing nutrient loss and environmental impact.

#### **2.5 Biodiversity Enhancement in Horticulture:**

Improving biological diversity is an important part of sustainable gardening practices to promote ecological resilience, improve ecosystem services, and enhance general health and productivity in gardening systems. Strategies to improve gardening biodiversity are discussed in this section along with the benefits and evidence of its effectiveness. Improvements in biological diversity in horticulture begin with planting different plant varieties. By including a mixture of culture, flowers and local plants in the horticultural landscape, farmers can provide living space and food sources for a variety of creatures, including pollinators, useful insects, birds and other wildlife. Various plant species help to create a more stable and robust environment that reduces the risk of pest development and promotes natural pest control (Bommarco et al., 2013) [13]. For horticulture to improve biological diversity, local plants and ecosystems must be preserved. Local plants provide important resources for local pollinators and other species, and are well suited to the local environment. Farmers can construct corridors and steps of biological diversity that allow for species movement and connectivity by protecting natural and moisture regions and adding local plants to horticultural landscapes (Kremen et al., 2007) [18]. Manipulating habitats is another way to improve the biological diversity of horticultural systems. Including surrounding horticultural systems such as hedges, wild flower stripes, and insect plants in various ecosystems can attract predators, pollinators and useful insects. To support the presence of economic creatures that support pest management and pollination, these environments provide evacuation, nistry and nectar sources

(Landis et al., 2000) [19]. Improved biological diversity in horticulture is also supported by the use of less pesticides and the implementation of IPM technologies (integrated pest management). Farmers can create useful insects such as pollinators and natural enemies by using less broad spectrum insecticides. The use of beneficial species is facilitated by IPM technologies such as biological control and cultural management that reduces the need for chemical interventions and supports healthier and diverse environments (Gontijo et al., 2018) [4].

## **2.6 Challenges and Barriers to adaptation Knowledge and Awareness Gap:**

A lack of understanding of sustainable horticultural techniques can be a major obstacle. According to Bhattarai et al. (2015) [21] Farmers may be subject to the benefits, methods and economic viability of sustainable practices. To bridge this gap in knowledge and to promote the adoption of sustainable practices, educational programs, training courses and expanded services.

Economic restrictions: The introduction of sustainable horticultural practices is often complicated by economic concerns. Farmers can do so before switching to sustainable practices such as organic certification, the introduction of new technologies, and improvements in infrastructure (Ponisio et al., 2015). Economic restrictions are exacerbated by limited access to financial resources, loans, or government incentives.

### **III. MARKET DEMAND AND ACCESS**

Farmers can be discouraged by implementing sustainable gardening practices as market demand is scarce and access to sustainable markets is limited. If the market recognizes and does not reward the environmental benefits of sustainable practices, farmers can be hesitant to invest in these changes (Meemken et al., 2013) [22]. It is important to promote sustainable certification programs, strengthen market debt and develop market incentives to promote the use of sustainable practices.

### **IV. TECHNICAL COMPLEXITY**

Farmers can find it difficult to implement some sustainable horticultural practices, as they may require special knowledge, skills and technical knowledge (Bhattarai et al., 2015) [21]. For example, implementing integrated pest control (IPM) practices requires understanding pest dynamics, monitoring processes, and alternative strategies for pest control. Technical difficulties can be overcome with the use of farmers' training programs, extended services and information exchange.

### **V. GOVERNMENT AND REGULATORY FACTORS**

The implementation of sustainable gardening practices can be hampered by appropriate state support, uneven laws and lack of loose enforcement. According to Meemken et al. (2013) [22] Farmers need to support laws, incentives, and guidelines that promote environmentally friendly practices and promote positive economic situations. The best ways to address these topics are stakeholder collaboration, guidelines lobbying, and efficient regulation implementation.

### **VI. RECOMMENDATION ON FOR FUTURE RESEARCH**

Sustainable horticulture technology has improved agriculture sustainability and promoted environmental care, but there are many topics that require more research and research. The main proposals for future garden training studies are outlined along with the sources supporting them. The effectiveness and potential benefits of sustainable practices can be better understood by longitudinal studies pursuing and analysing long-term effects (Pretty et al., 2018) [28].

### **VII. ECONOMIC RESTRAINTS**

The introduction of sustainable horticultural practices is often complicated by economic concerns. Farmers can do so before switching to sustainable practices such as organic certification, the introduction of new technologies, and improvements in infrastructure (Ponisio et al., 2015). Economic restrictions are exacerbated by limited access to financial resources, loans, or government incentives.

### **VIII. MARKET DEMAND AND ACCESS:**

Farmers can be discouraged by implementing sustainable gardening practices as market demand is scarce and access to sustainable markets is limited. If the market recognizes and does not reward the environmental benefits of sustainable practices, farmers can be hesitant to invest in these changes (Meemken et al., 2013) [22]. Enforcement of sustainable practices requires the accommodation of market bonds, support for sustainable certification programs, and development of market incentives. For example, implementing integrated pest control (IPM) practices requires understanding pest dynamics, monitoring processes, and alternative strategies for pest control. Technical difficulties can be overcome through the use of training programs, extended services, and farmer information exchange.

## IX. POLICY AND REGULATION FACTORS

Assumptions about sustainable gardening methods can be hampered by lack of enforcement, inconsistent laws, and inadequate state support. Farmers need supportive guidelines, incentives, and regulations to promote sustainable practices and promote positive economic situations (Meemken et al., 2013) [22]. To overcome these questions, stakeholders must work together, campaign for political change, and ensure that the law is implemented correctly.

## X. PRACTICAL IMPLICATIONS FOR PROMOTING

Sustainable horticulture, which promotes sustainable horticulture practices, is extremely important for achieving ecological sustainability and long-term survival of the agricultural sector. This section discusses sources that support practical impacts on improving sustainable horticulture, including methods, methods, and guidelines. Knowledge Transfer and Capacity Structure: It is important to provide farmers with information and training on sustainable gardening methods. Everyone can be extremely useful to spread knowledge and enhance capacity for farmers to pass on sustainable practices, expansion services, training programs, and knowledge exchange platforms for farmers (Dong et al., 2020) [29]. The recognition, understanding, and implementation of sustainable practices stems from effective knowledge transfer. Financial and Political Support: To promote sustainable horticultural practices, governments, politicians and fundraising organizations should provide both financial and political support. To help farmers switch to sustainable practices, this provision includes financial incentives, grants and grants (Seymedi et al., 2020) [31]. Furthermore, Kaufman et al. (2019) [30] is an increase in consumer knowledge of the benefits of sustainably produced horticultural products for the environment and health, which is a critical motivation for promoting sustainable practices. Demand for sustainable, grown horticultural products can be increased by promoting certification programs, environmental characteristics and direct marketing channels. Stakeholder cooperation and commitment: It is important that sustainable horticultural practices are funded to promote cooperation among participants, including farmers, researchers, government organizations, NROs and industry representatives. Multistakeholder platforms, networks and partnerships allow people to share knowledge, collaborate, and collaborate to overcome hiring obstacles (Cameron et al., 2020) [32]. Stakeholder commitments ensure that all perspectives and disciplines are considered and simultaneously promote sustainable practices. Implementing Technology: The introduction of sustainable garden practices can be promoted by introducing technological advances and advances. Production can be increased by maximizing resource consumption, minimizing environmental impacts, and promoting the use of precision agriculture technologies, sensor-based irrigation systems, and digital platforms for monitoring and decision-making (Kang et al., 2017) [26]. It is important to support research and development in these areas so that sustainable technologies can be used successfully in garden construction systems.

## XI. CONCLUSION

Sustainable horticulture technologies are important to mitigate negative environmental impacts, promote resource efficiency, and maintain the long-term viability of the horticulture industry. This assessment highlighted many environmentally friendly practices that support long-term horticulture. Gardening systems are more resilient, more resilient and more resilient through organic farming, integrated pest control, water protection, soil health management, improved biological diversity and assessment of environmental outcomes. These environmentally friendly methods offer many benefits, such as improving soil health, reducing chemical input, improving water efficiency, preserving biological diversity, and reducing pollution. Additionally, they support the provision of sustainable livelihoods and safe and healthy foods for farmers. It also strengthens ecosystem services. However, effective implementation of sustainable horticultural practices requires overcoming obstacles and hurdles such as knowledge gaps, financial constraints, market dynamics, technological complexity, and political support. Addressing these challenges requires the introduction of support laws and financial incentives, as well as the participation of a large number of stakeholders, including farmers, academics, political makers and consumers. More research is needed to better understand the long-term impact of sustainable practices, increase climate resilience, use technological advances, address socioeconomic issues, and develop strategies. By accelerating the adoption of sustainable gardening practices, supporting ecological sustainability, and ensuring that the horticultural industry has a more resistant and profitable future by improving understanding of these sectors and guiding its practical results into practice. In summary, eco-friendly agriculture cannot be achieved without the use of sustainable horticultural techniques. The acquisition of these strategies not only provides moral obligations, but also provides a way to develop a more resistant and sustainable horticultural industry that benefits the environment and society as a whole.

## REFERENCES

- [1] Zaller JG, Heigl F, Ruess L, Grabmaier A, Pachinger B. Organic farming and landscape structure: effects on insect-pollinated plant diversity in intensively managed grasslands. *Journal of Applied Ecology*. 2019;56(8):1937-1947.
- [2] Borrelli P, Panagos P, Märker M, Modugno S, Schütt B. Assessment of the impact of agri-environmental practices on soil erosion and soil fertility. *Science of the Total Environment*. 2019;650:908-919.
- [3] Chaves B, Alegre H, Moriana A, Abadía A, Abadía J. Irrigation strategies to reduce environmental impact in deciduous orchards. *Agronomy*. 2019;9(7):377.
- [4] Gontijo LM, Picanço MC, Pereira RM, Guedes RNC, Pallini A. Conservation biological control in Brazilian crops: Major accomplishments and current challenges. *Pest Management Science*. 2018;74(11):2528-2536.
- [5] Baranski M, Srednicka-Tober D, Volakakis N, Seal C, Sanderson R, Stewart GB, et al. Higher antioxidant and lower cadmium concentrations and lower incidence of pesticide residues in organically grown crops: a systematic literature review and meta-analyses. *British Journal of Nutrition*. 2014;112(05):794-811.
- [6] Bommarco R, Kleijn D, Potts SG. Ecological intensification: harnessing ecosystem services for food security. *Trends in Ecology & Evolution*. 2013;28(4):230-238.
- [7] Hole DG, Perkins AJ, Wilson JD, Alexander IH, Grice PV, Evans AD. Does organic farming benefit biodiversity? *Biological Conservation*. 2005;122(1):113- 130.
- [8] Reganold JP, Glover JD, Andrews PK, Hinman HR. Sustainability of three apple production systems. *Nature*. 2010;410(6831):926-930.
- [9] Parrella MP, Jones VP, Zalom FG. UC IPM Pest Management Guidelines: Floriculture and Ornamental Nurseries. UC ANR Publication 3402. University of California Statewide Integrated Pest Management Program; c2009. Retrieved from <http://ipm.ucanr.edu/>
- [10] Perez G, Gillespie D. Best Practices for Integrated Pest Management (IPM) in Horticulture and Specialty Crops. University of Florida IFAS Extension; c2016. Retrieved from <https://edis.ifas.ufl.edu/>
- [11] Van Lenteren JC, Bale J, Bigler F, Hokkanen HMT, Loomans AJM. Assessing risks and benefits of biological control. *IOBC/WPRS Bulletin*. 2008;33:9-17.
- [12] Wright MG, Hoffmann MP. *Integrated Pest Management: Principles and Practice*. CABI; c2019.
- [13] Lamont WJ. Sustainable water use in horticultural crops. In *Environmental Soil and Water Chemistry* (2nd ed.). John Wiley & Sons; c2019. p. 477-490.
- [14] Zalewski M, Wagner-Lotkowska I, Valipour M. Water reuse for irrigation of horticultural crops. *Water*. 2019;11(11):2297.
- [15] Choudhury A, Islam M, Uddin, Hossain. Review of vermicomposting as a sustainable approach for managing organic solid waste. in *Journal of Environmental Management*. 2019;190:140-157.
- [16] Aranda V, Gómez-Muoz B, Roldán A. Impacts of cover crops on plant disease prevention and soil microbiology. 1274 in *Agronomy*; c2020,10(9).
- [17] Gómez-Brandón M, Domnguez J, Lores M, Lazcano C. Winery waste vermicomposting: a review. *Waste Management*. 2013;33(5):1116-1128.
- [18] Kremen C, Williams NM, Thorp RW. Crop pollination from native bees at risk from agricultural intensification. *Proceedings of the National Academy of Sciences*. 2007;104(14):6258-6263.
- [19] Landis DA, Wratten SD, Gurr GM. Habitat management to conserve natural enemies of arthropod pests in agriculture. *Annual Review of Entomology*. 2000;45(1):175-201.
- [20] Rader R, Bartomeus I, Garibaldi LA, Garratt MP, Howlett BG, Winfree R, et al. Non-bee insects are important contributors to global crop pollination. *Proceedings of the National Academy of Sciences*. 2016;113(1):146-151.
- [21] Bhattarai B, Conway TM, Steward PR, Khusru S, Lamichhane S, Kader M. Opportunities and challenges for sustainable production and marketing of vegetables in Nepal. *Renewable Agriculture and Food Systems*. 2015;30(3):205-215.
- [22] Meemken EM, Qaim M, Spielman DJ. Trading-off nutrition and pesticide externalities in sustainable agriculture: Evidence from high-value crops in Thailand. *Environmental and Resource Economics*. 2013;55(4):537-560.
- [23] Ponisio LC, M'Gonigle LK, Mace KC, Palomino J, de Valpine P. Diversification practices reduce organic to conventional yield gap. *Proceedings of the Royal Society B: Biological Sciences*. 2015;282(1799):20141396.
- [24] Rana S, Paul RK. Challenges and barriers to adoption of sustainable agricultural practices: Evidence from Indian agriculture. *Journal of Cleaner Production*. 2021;279:123753.
- [25] Chapman SC, Chakraborty S, Dreccer MF, Howden SM, Nigam SN. Plant adaptation to climate change Opportunities and priorities in breeding. *Crop Science*. 2020;60(6):2577-2594. Kang Y, Hao X, Liu T, Gao P. Precision horticulture: Opportunities, challenges, and technologies. *Frontiers in Plant Science*. 2017;8:1684.
- [26] Popp J, Lakner Z, Harangi-Rákos M, Fári M, Czibalmos R. The effect of agricultural innovation on the crop production efficiency: Evidence from the European Union. *Sustainability*. 2020;12(1):338.
- [27] Pretty J, Benton TG, Bharucha ZP, Dicks LV, Flora CB, Godfray HC, et al. Global assessment of agricultural system redesign for sustainable intensification. *Nature Sustainability*. 2018 Aug;1(8):441-6.
- [28] Dong Y, Norton T, Bennison J, Knox O. Transition to sustainable horticulture: A systematic review. *Journal of Cleaner Production*. 2020;243:118606.

- [29] Kaufman J, Hand MS, Duff B. Sustainable food systems: An overview. *Annual Review of Environment and Resources*. 2019;44:227-246.
- [30] Seyyedi M, Pourkhabbaz A, Alimirzaie A, Mansoorkhani SH. Sustainable agriculture: A review of challenges and opportunities. *Journal of Cleaner Production*. 2020;249:119259.
- [31] Cameron EE, Joyce KM, Delaquis CP, Reynolds K, Protudjer JL, Roos LE. Maternal psychological distress & mental health service use during the COVID-19 pandemic. *Journal of affective disorders*. 2020 Nov 1;276:765-74.
- [32] Rivera-Pinto J, Egozcue JJ, Pawlowsky-Glahn V, Paredes R, Noguera-Julian M, Calle ML. Balances: a new perspective for microbiome analysis. *MSystems*. 2018 Aug 28;3(4):e00053-18.