Smart Pest Management in Precision Farming: A Comprehensive Review

Dr. Priyanka Solanki[1], Anil Varma Nalla[2], Maharaj Satwika[3], Swastik Bhattacharjya[4], Kumar Sonu[5*], Rajat Rajput[6]

[1]Assistant Professor, Department of Social Science, College of Horticulture and Forestry, Jhalawar, Agriculture University, Kota
[2]Junior Seed Analyst, National Seed Research and Training Centre, Varanasi
[3]Department of Entomology, Professor Jayashankar Telangana State Agricultural University College of Agriculture Rajendranagar, Hyderabad
[4]M.Sc. (Ag.) Entomology, Department of Plant Protection, Aligarh Muslim University, Uttar Pradesh
[5]M.Sc. (Ag.), Department of Agricultural Extension Education, School of Agricultural Sciences, Nagaland University
[6]Ph.D Scholar, Department of Horticulture (Vegetable Science) School of Agricultural Sciences, Nagaland University
*Corresponding Author

Received:- 06 July 2024/ Revised:- 14 July 2024/ Accepted:- 20 July 2024/ Published: 31-07-2024
Copyright @ 2024 International Journal of Environmental and Agriculture Research
This is an Open-Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (https://creativecommons.org/licenses/by-nc/4.0) which permits unrestricted Non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract— *Precision agriculture has transformed current agricultural techniques by incorporating cutting-edge technology to maximize resource usage, increase crop output, and reduce insect threats. This article delves into the nexus of precision agriculture and pest management, explaining how precise approaches are designed to address pest concerns effectively and sustainably. Precision agriculture takes a multifaceted approach to pest control, using technology and tactics from throughout the agricultural environment. Remote sensing technologies are essential for early pest identification, sensor technologies for real-time field monitoring, and GPS/GIS applications for accurate mapping and focused control methods. The integration of entomological data is critical in precision pest management because it allows for precise pest identification, behaviour monitoring, and predictive modelling, which helps to successfully forecast and prevent pest outbreaks. Automated insect identification technologies, DNA barcoding, and decision support systems allow for proactive pest control tactics adapted to individual pest species and environmental circumstances. Precision pest management's economic and environmental consequences highlight its importance in contemporary agriculture, with cost-benefit analyses demonstrating increased efficiency and a lower environmental imprint. To encourage wider use and maximum benefits, specific solutions must address implementation challenges such as technology hurdles and farmer acceptance.*

Keywords— Automatic insect identification systems, Pest control, Precision agriculture, Remote sensing technology, Sustainable agriculture.

I. INTRODUCTION

Precision agriculture, also known as precision farming or smart farming, is a kind of agricultural management that uses technology, data, and analytics to improve crop productivity and resource efficiency. Precision agriculture is fundamentally about tailoring agricultural operations to individual field circumstances in order to maximize yields, minimize inputs, and reduce environmental consequences (Bhakta *et al*., 2019; Monteiro *et al*., 2021). Pest control is an important part of agricultural production since pests may lower crop output and quality (Dent and Binks, 2020; Stanley *et al*., 2022). Precision agriculture is important in pest control because it gives farmers tools and procedures for successfully monitoring, detecting, and mitigating pest threats. Precision agriculture uses modern technology such as sensors, drones, and data analytics to allow focused pest management tactics while decreasing pesticide usage and environmental hazards (Shaikh *et al*., 2022).

Precision agriculture became apparent in the late twentieth century to meet the rising need for more effective and sustainable agricultural techniques (Bongiovanni and Lowenberg-DeBoer, 2004; Mulla, 2013). Initially, precision agriculture emphasized the use of global positioning systems (GPS) for precise field mapping and navigation. Over time, technological improvements like as remote sensing, data analytics, and automation have broadened the scope of precision agriculture and its pest control

applications (Sishodia *et al*., 2020; Roberts *et al*., 2021). Precision agricultural technologies have grown fast in recent years, because to advances in digitalization, communication, and sensor technology (Khanna and Kaur, 2019). Farmers now have access to a diverse set of precision agricultural equipment and systems aimed at improving pest monitoring, early identification, and management procedures. These technologies have transformed pest control procedures by making them more accurate, efficient, and ecologically friendly (Shafi *et al*., 2019; Bolfe *et al*., 2020).

Remote sensing technology, such as satellite imaging and aerial drones, may give significant information on crop health and pest infestations (Zhang *et al*., 2019; Abd El-Ghany *et al*., 2020). High-resolution photos taken from above may detect minute changes in vegetation, enabling farmers to spot pest infestations and take appropriate action (Tsouros *et al*., 2019). Remote sensing offers large-scale agricultural landscape monitoring, allowing for early identification and tailored pest control measures (Weiss *et al*., 2020; Kumar *et al*., 2022). Sensor networks installed in fields capture real-time information on ambient conditions, soil moisture, temperature, and insect activity (Bencini *et al*., 2009). Soil moisture sensors, temperature monitors, and insect traps provide continuous monitoring, enabling farmers to notice changes in pest populations and react quickly (Sciarretta and Calabrese, 2019). Sensor-based monitoring systems provide for proactive pest control tactics, minimizing dependency on reactive measures such blanket pesticide treatments (Sangeetha *et al*., 2024).

Artificial intelligence (AI) approaches are being employed to analyse agricultural data to detect pest outbreak trends (Jose *et al*., 2021). Machine learning algorithms can forecast pest infestations and offer effective management strategies by analysing historical data on pest occurrences, meteorological conditions, and crop health (Domingues *et al*., 2022). AI-powered solutions automate pest identification and decision-making, increasing the efficiency and accuracy of pest control techniques (Javaid *et al*., 2023). Precision agricultural technology have transformed pest management methods by allowing for focused, data-driven approaches to monitoring, identification, and control (Roberts *et al*., 2021; Liang and Shah, 2023). Farmers may maximize pest control tactics while reducing environmental impact and input costs by using remote sensing, sensor networks, machine learning, and decision support systems. In this post, we'll look at how precision farming may drive evolutionary change in contemporary agriculture while also improving pest management skills, providing farmers with novel solutions to pest concerns.

II. KEY COMPONENTS OF PRECISION AGRICULTURE IN PEST MANAGEMENT

Precision agriculture has transformed pest management by combining new technology and data-driven methodologies to monitor, identify, and control pest infestations more accurately and efficiently (Liang and Shah, 2023). In this review, we will take a comprehensive look at the major components of precision agriculture for pest control, such as remote sensing technologies, sensor technologies for field monitoring, and GPS and GIS applications.

2.1 Remote Sensing Technologies:

Remote sensing technologies play a crucial role in pest management by providing valuable insights into crop health, pest infestations, and environmental conditions over large agricultural areas (Abd El-Ghany *et al*., 2020). Two primary remote sensing technologies used in precision agriculture for pest management include

Satellite Imaging for Pest Detection: Satellite imaging enables the detection and monitoring of pest infestations over extensive agricultural landscapes. High-resolution satellite imagery captures detailed images of crops, allowing farmers to identify areas of stress, discoloration, or damage caused by pests. By analysing satellite imagery, farmers can detect pest outbreaks early, assess the extent of infestation, and target management interventions more effectively (Miranda *et al*., 2014; Yang, 2018).

Unmanned Aerial Vehicles (UAVs) in Pest Surveillance: Unmanned aerial vehicles (UAVs), also known as drones, are increasingly used in precision agriculture for pest surveillance and monitoring. Equipped with high-resolution cameras and multispectral sensors, UAVs can capture aerial imagery of crops at various wavelengths, enabling the detection of subtle changes in plant health indicative of pest damage. UAVs provide farmers with real-time aerial views of their fields, allowing for rapid assessment and response to pest infestations (Gao *et al*., 2020; Maslekar *et al*., 2020; Velusamy *et al*., 2021).

2.2 Sensor Technologies for Field Monitoring:

Sensor technologies play a vital role in field monitoring by providing real-time data on soil conditions, climate parameters, and pest activity. These sensors enable farmers to assess pest habitats, monitor environmental conditions, and implement targeted pest management strategies. Two types of sensor technologies commonly used in precision agriculture for pest management include:

Soil Sensors for Pest Habitat Assessment: Soil sensors measure various parameters, such as moisture levels, temperature, and nutrient content, to assess pest habitat suitability and potential breeding grounds. By monitoring soil conditions, farmers can identify areas prone to pest infestations, such as damp or nutrient-rich soils, and take preventive measures to mitigate pest risks. Soil sensors also enable precise irrigation and fertilization, reducing conditions favorable to pests while promoting crop health (Nagendra *et al*., 2013; Zhang *et al*., 2019).

Climate Sensors for Environmental Monitoring: Climate sensors measure environmental parameters, including temperature, humidity, rainfall, and wind speed, to monitor weather conditions conducive to pest activity. By collecting real-time weather data, farmers can anticipate pest outbreaks, track pest migration patterns, and implement timely pest control measures. Climate sensors also help optimize irrigation scheduling and microclimate management, minimizing pest stress on crops and improving overall resilience (Ceccato *et al*., 2014; Ullo and Sinha, 2020).

2.3 GPS and GIS Applications in Precision Agriculture:

Global Positioning System (GPS) and Geographic Information System (GIS) technologies are integral to precision agriculture for spatial data collection, analysis, and decision-making. These technologies enable farmers to map pest infestations, plan targeted interventions, and optimize pest control measures with precision. Two key applications of GPS and GIS in precision agriculture for pest management include:

Geospatial Mapping of Pest Infestations: GPS and GIS technologies allow farmers to create detailed maps of pest infestations and spatial distribution patterns within agricultural fields. By overlaying pest occurrence data with geospatial information, such as soil types, crop varieties, and topography, farmers can identify hotspots of pest activity and prioritize management efforts. Geospatial mapping also facilitates the integration of data from multiple sources, such as satellite imagery, sensor networks, and historical records, for comprehensive pest management strategies (Sabtu *et al*., 2018; Singh *et al*., 2023).

Precision Application of Pest Control Measures: GPS-guided equipment enables precision application of pest control measures, such as pesticides and biological agents, to target specific areas affected by pest infestations. By accurately mapping pest hotspots and tailoring application rates based on spatial variability, farmers can minimize chemical usage, reduce off-target effects, and maximize efficacy in pest control efforts. Precision application technologies also support sustainable pest management practices, mitigating environmental impacts while maintaining crop productivity (Ahmad *et al*., 2018; Tang *et al*., 2023).

III. INTEGRATION OF ENTOMOLOGICAL DATA IN PRECISION AGRICULTURE

Entomological data integration in precision agriculture is critical for developing successful pest control methods. Pests represent considerable hazards to crop yields and agricultural sustainability, thus using modern technology for pest detection, behaviour monitoring, and decision support systems is critical (Oerke *et al*., 2010). In this part, we will look at the important components of integrating entomological data into precision agriculture, such as insect pest detection technology, insect behaviour monitoring, and entomological decision support systems.

3.1 Insect Pest Identification Technologies:

Accurate identification of insect pests is fundamental for implementing targeted pest management practices. Several technologies facilitate rapid and precise identification of insect species:

Automated Insect Recognition Systems: Automated insect recognition systems utilize machine learning algorithms and computer vision techniques to classify and identify insect pests based on their physical characteristics. These systems analyse images captured by cameras or smartphones and compare them with a database of known insect species. By automating the identification process, these systems enable farmers and agricultural professionals to quickly identify pests in the field, facilitating timely interventions (Wang *et al*., 2012; Cardim Ferreira Lima *et al*., 2020).

DNA Barcoding for Pest Species Identification: DNA barcoding involves sequencing a short segment of DNA from a standardized region of the genome to identify species. In entomology, DNA barcoding is used for accurate and reliable identification of insect pests, even at the larval or egg stage. By comparing DNA sequences with reference databases, researchers and pest management professionals can accurately identify insect species, including cryptic or morphologically similar species. DNA barcoding provides a robust tool for taxonomic identification and biodiversity assessment in agricultural ecosystems (Ball and Armstrong, 2014; Jalali *et al*., 2015).

3.2 Monitoring Insect Behaviour:

Understanding insect behaviour is crucial for developing effective pest management strategies. Advanced sensor technologies enable real-time monitoring of insect movement, activity, and habitat preferences:

Sensor-Based Tracking of Insect Movement: Sensor-based tracking systems utilize GPS, RFID (Radio Frequency Identification), or radio telemetry to monitor the movement and dispersal of insect pests within agricultural fields (Bieganowski *et al*., 2021). Tiny transmitters attached to insects emit signals that can be detected by receiver units placed throughout the field. By tracking insect movement patterns and migration routes, farmers can anticipate pest outbreaks, implement targeted control measures, and minimize crop damage (Ju and Son, 2022; Gebauer *et al*., 2024).

Acoustic Sensors for Insect Activity Monitoring: Acoustic sensors detect and analyze the sounds produced by insect pests, such as feeding, mating, or communication signals. These sensors can be deployed in crop fields to monitor insect activity levels and detect early signs of pest infestations. By analysing acoustic signals using machine learning algorithms, researchers can distinguish between different insect species and assess their population densities. Acoustic monitoring provides a non-invasive and cost-effective method for monitoring insect pests in agricultural ecosystems (Mankin and Hagstrum, 2012; Saleh *et al*., 2018).

3.3 Decision Support Systems for Entomological Data:

Decision support systems (DSS) utilize entomological data to provide farmers with actionable insights and recommendations for pest management. These systems integrate data on insect populations, behaviour, and environmental conditions to optimize pest control strategies:

Modelling Insect Population Dynamics: DSS incorporate mathematical models and simulation techniques to predict insect population dynamics and assess the impact of management interventions. Population models consider factors such as reproduction rates, mortality rates, and environmental conditions to simulate the growth and spread of insect populations over time. By simulating different scenarios and management strategies, DSS help farmers evaluate the efficacy of pest control measures and optimize resource allocation for pest management (Jian *et al*., 2018; Dennis *et al*., 2021).

Predictive Analytics for Pest Outbreaks: Predictive analytics algorithms analyse historical entomological data, environmental variables, and weather forecasts to predict pest outbreaks and assess the risk of infestation. By identifying factors contributing to pest outbreaks, predictive analytics enable farmers to implement preventive measures and early intervention strategies. These may include timely pesticide applications, deployment of biological control agents, or modification of crop planting schedules to minimize pest pressure. Predictive analytics provide farmers with valuable insights into pest dynamics and enable proactive pest management practices (Chen *et al*., 2022; Malloci, 2022; Palani *et al*., 2023).

IV. PRECISION APPLICATION OF PEST CONTROL MEASURES

Precision agriculture has revolutionized pest management strategies by enabling targeted and efficient application of control measures. This approach minimizes environmental impact, reduces input costs, and maximizes efficacy in pest control. Here we will explore the key components of precision application of pest control measures, including variable rate technologies for pesticide application, automated pest control systems, and biological control strategies.

Variable Rate Technologies for Pesticide Application: Variable rate technologies (VRT) offer a sophisticated approach to pesticide application, allowing farmers to adjust application rates based on spatial variations in pest pressure, crop health, and environmental conditions. This precise targeting of pesticides optimizes resource use and minimizes off-target effects. Key VRT systems include:

GPS-guided Sprayers: GPS technology enables precise navigation of spraying equipment within fields, allowing farmers to apply pesticides only where needed. By creating application maps based on field data, such as soil moisture levels, pest infestation patterns, and crop health indicators, GPS-guided sprayers adjust spray nozzles to deliver precise amounts of pesticides, reducing waste and environmental contamination (Huang *et al*., 2008; Khan *et al*., 2018).

Variable Rate Injection Systems: These systems utilize real-time sensor data to adjust pesticide application rates on-the-go. Soil sensors, crop sensors, and weather stations provide input data, which is processed by control algorithms to determine optimal pesticide rates for specific areas within the field. Variable rate injection systems then adjust the flow rate of pesticides accordingly, ensuring uniform coverage and minimizing over-application (Guan *et al*., 2015; Wei *et al*., 2022).

Section Control Technology: Section control technology divides spraying equipment into individual sections that can be turned on or off independently based on GPS-guided field maps. This allows farmers to avoid overlapping spray coverage and prevent double application in areas that have already been treated. Section control technology reduces pesticide waste and ensures efficient use of resources (Suckling *et al*., 2014; Hendrichs *et al*., 2021).

V. AUTOMATED PEST CONTROL SYSTEMS

Automation technologies play a vital role in precision agriculture by enabling autonomous operation of pest control equipment, reducing labour requirements, and improving operational efficiency. Automated pest control systems utilize robotics, artificial intelligence, and sensor technologies to target pests accurately and effectively. Key components of automated pest control systems include:

Robotic Platforms for Precision Spraying: Robotic sprayers equipped with sensors and cameras can navigate through fields autonomously, targeting specific areas with pesticide applications. These robots utilize machine learning algorithms to identify pest-infested areas and adjust spray nozzles to deliver precise amounts of pesticides. Robotic platforms minimize human labour and ensure consistent and accurate pesticide application, reducing environmental impact and optimizing pest control (Scholz *et al*., 2014; Loukatos *et al*., 2021; Meshram *et al*., 2022).

Smart Traps and Lures for Targeted Pest Capture: Smart traps and lures utilize pheromones, attractants, and sensors to lure pests into traps while minimizing non-target captures. These traps can be equipped with cameras and communication modules to monitor pest activity in real-time and alert farmers when pest populations exceed threshold levels. Smart traps and lures enable targeted pest monitoring and control, reducing the need for broad-spectrum pesticides and minimizing ecological disruption (Sciarretta and Calabrese, 2019; Preti *et al*., 2019).

VI. BIOLOGICAL CONTROL STRATEGIES IN PRECISION AGRICULTURE

Biological control strategies harness natural enemies of pests, such as predators, parasitoids, and entomopathogenic organisms, to manage pest populations effectively (Wu *et al*., 2019). In precision agriculture, biological control methods are integrated into pest management strategies to minimize reliance on synthetic pesticides and promote ecological balance. Key biological control strategies include:

Release of Predators and Parasitoids: Natural enemies of pests, such as ladybugs, lacewings, parasitic wasps, and predatory mites, can be released into agricultural fields to control pest populations. These beneficial organisms feed on pest species, reducing their numbers and preventing crop damage. In precision agriculture, the release of predators and parasitoids is targeted to areas with high pest activity, maximizing efficacy while minimizing environmental impact (Zhan *et al*., 2021; Sahin, 2022).

Integration of Entomopathogenic Organisms: Entomopathogenic organisms, such as fungi, bacteria, and nematodes, can be used to control pest populations through biological means. These organisms infect and kill pests without harming non-target organisms, making them ideal for integrated pest management in precision agriculture. By incorporating entomopathogens into soil drenches, foliar sprays, or seed treatments, farmers can effectively suppress pest populations while minimizing chemical inputs and preserving natural ecosystems (Erdoğan *et al*., 2023).

VII. ENVIRONMENTAL IMPACTS OF PRECISION PEST MANAGEMENT

Precision pest management, a key component of precision agriculture, has revolutionized pest control strategies by offering targeted, efficient, and environmentally sustainable approaches to pest management (Katalin *et al*., 2014). In this section we will explore the environmental impacts of precision pest management, reduction in pesticide usage and environmental impact, and the promotion of sustainable agriculture practices enabled by precision technologies.

7.1 Reduction in Pesticide Usage and Environmental Impact:

One of the most significant benefits of precision pest management is the reduction in pesticide usage and environmental impact (Gill and Garg, 2014). Precision agriculture technologies enable targeted application of pesticides, minimizing environmental contamination and promoting ecological sustainability:

Minimized Pesticide Drift: Precision pest management techniques, such as GPS-guided sprayers and variable rate technologies, ensure precise application of pesticides, minimizing drift and off-target effects. By delivering pesticides directly to the intended areas, farmers can reduce pesticide loss to non-target areas, minimizing environmental contamination and preserving ecosystem health (Reimer and Prokopy, 2012; Xun *et al*., 2023).

Reduced Chemical Residue: Precision agriculture allows farmers to apply pesticides at lower rates and with greater precision, reducing chemical residue in soil, water, and food products. By minimizing pesticide residues, precision pest management promotes food safety, protects human health, and reduces the risk of pesticide-related illnesses (Zanin *et al*., 2022).

Preservation of Beneficial Organisms: Precision pest management strategies, such as biological control methods and targeted spraying, help preserve beneficial organisms, such as pollinators, natural enemies of pests, and soil microorganisms. By minimizing pesticide exposure to non-target organisms, precision agriculture promotes biodiversity, ecosystem resilience, and natural pest control services (Bhakta *et al*., 2019).

Water Quality Protection: Precision agriculture techniques, such as sensor-based irrigation and variable rate pesticide application, help reduce pesticide runoff and leaching into water bodies. By optimizing water usage and minimizing chemical inputs, precision pest management protects water quality, aquatic ecosystems, and human health (Douguet and Schembri, 2006).

7.2 Sustainable Agriculture Practices Enabled by Precision Technologies:

Precision pest management plays a crucial role in promoting sustainable agriculture practices by optimizing resource use, reducing environmental impact, and enhancing agricultural resilience:

Conservation of Resources: Precision agriculture technologies, such as soil sensors, climate monitors, and GPS-guided equipment, help farmers optimize resource use by matching inputs to crop requirements. By minimizing waste and maximizing efficiency, precision pest management promotes the conservation of land, water, energy, and nutrients, contributing to long-term agricultural sustainability (Oliver *et al*., 2013).

Soil Health Improvement: Precision pest management practices, such as reduced pesticide usage and conservation tillage, help improve soil health and fertility. By minimizing soil disturbance and chemical inputs, precision agriculture preserves soil structure, enhances microbial activity, and promotes nutrient cycling, resulting in improved soil health and productivity over time (Sophocleous, 2021).

Climate Resilience: Precision agriculture enables farmers to adapt to climate change and extreme weather events by optimizing management practices and reducing vulnerability to environmental stressors. By utilizing real-time data and predictive analytics, precision pest management helps farmers anticipate climate-related risks, such as pest outbreaks and droughts, and implement proactive measures to mitigate their impact (Roy and George, 2020).

Enhanced Food Security: Precision pest management plays a crucial role in ensuring food security by improving crop yields, minimizing post-harvest losses, and reducing reliance on chemical inputs. By optimizing pest control strategies and promoting ecological balance, precision agriculture contributes to the sustainable production of nutritious and safe food for growing populations worldwide (Qureshi *et al*., 2022).

VIII. CHALLENGES IN IMPLEMENTING PRECISION PEST MANAGEMENT

Precision pest management holds immense promise for revolutionizing agricultural practices by offering targeted, efficient, and environmentally sustainable pest control solutions. However, its successful implementation faces various challenges, including technological barriers, data integration issues, and farmer adoption and education (Shah and Razaq, 2020). Here we will delve into these challenges and explore potential strategies to overcome them.

8.1 Technological Barriers:

Complexity of Technologies: Precision pest management relies on advanced technologies such as GPS, remote sensing, and automated pest control systems. Implementing and integrating these technologies into existing agricultural practices can be challenging due to their complexity. Farmers may lack the technical expertise or resources to adopt and utilize these technologies effectively (Bosompem, 2021).

Cost of Implementation: The initial investment required for purchasing precision pest management technologies, such as GPS-guided sprayers or robotic pest control systems, can be prohibitively high for many farmers. Additionally, ongoing maintenance, training, and software updates incur additional costs, posing financial barriers to adoption (Lal, 2015).

Compatibility and Interoperability: Different precision agriculture technologies may use proprietary software or hardware, leading to compatibility issues and interoperability challenges. Integrating disparate technologies into a seamless system for pest management can be complicated, requiring customized solutions and technical expertise (Rossi *et al*., 2023).

8.2 Strategies to Address Technological Barriers:

Research and Development Funding: Governments, research institutions, and industry stakeholders can invest in research and development to improve the affordability, usability, and interoperability of precision pest management technologies.

Technical Assistance and Training: Providing farmers with access to training programs, workshops, and technical support services can help bridge the knowledge gap and build capacity for adopting and utilizing advanced technologies.

Collaborative Partnerships: Industry collaborations and partnerships between technology providers, research organizations, and agricultural extension services can facilitate the development of integrated solutions and standardized platforms for precision pest management.

8.3 Data Integration and Standardization:

Data Complexity and Volume: Precision pest management relies on collecting and analyzing vast amounts of data from various sources, including sensors, satellites, weather stations, and pest monitoring devices. Managing and integrating these diverse data streams pose challenges due to their complexity, volume, and heterogeneity (Méndez-Vázquez *et al*., 2019).

Data Quality and Consistency: Ensuring the quality, accuracy, and consistency of data collected from different sources can be challenging. Variability in sensor accuracy, calibration, and maintenance can lead to discrepancies and errors in data interpretation, affecting the reliability of pest management decisions (Damos, 2015).

Lack of Standardization: The absence of standardized protocols, formats, and data exchange mechanisms complicates data sharing and integration efforts in precision pest management. Different vendors may use proprietary data formats or interfaces, hindering interoperability and collaboration among stakeholders (Li *et al*., 2021).

8.4 Strategies to Address Data Integration and Standardization:

Development of Data Standards: Industry organizations, regulatory agencies, and standardization bodies can develop and promote standardized protocols and data formats for collecting, sharing, and exchanging agricultural data.

Open Data Initiatives: Encouraging open data initiatives and data-sharing platforms can facilitate collaboration and knowledge exchange among stakeholders, enabling interoperability and data integration.

Quality Assurance and Validation: Implementing quality assurance processes, data validation checks, and sensor calibration protocols can help ensure the accuracy, reliability, and consistency of data collected for precision pest management.

Investment in Data Infrastructure: Governments and private sector entities can invest in building data infrastructure, such as cloud-based platforms, data repositories, and analytical tools, to support data management and integration in precision agriculture.

8.5 Farmer Adoption and Education:

Awareness and Education: Many farmers may lack awareness of the potential benefits of precision pest management or may be sceptical about adopting new technologies and practices. Educating farmers about the economic, environmental, and agronomic advantages of precision pest management is crucial for fostering adoption and behaviour change (Murage *et al*., 2015).

Technical Literacy: Farmers need to possess the necessary technical skills and knowledge to effectively utilize precision pest management technologies and interpret the data generated by these systems. However, limited access to training, technical support, and extension services may hinder farmers' ability to adopt and implement these technologies (Daberkow and McBride, 2003).

Risk Aversion: Farmers may be hesitant to adopt precision pest management practices due to concerns about the risks involved, such as potential crop damage from equipment malfunction or the uncertainty of returns on investment. Overcoming risk aversion requires demonstrating the reliability, efficacy, and long-term benefits of precision pest management through pilot projects, case studies, and outreach efforts (Bueno *et al*., 2021).

8.6 Strategies to Address Farmer Adoption and Education:

Extension and Outreach Programs: Agricultural extension services, farmer cooperatives, and industry associations can organize training workshops, field demonstrations, and outreach events to educate farmers about precision pest management technologies and practices.

Demonstration Farms: Establishing demonstration farms or pilot projects where farmers can observe firsthand the benefits of precision pest management can help build confidence and trust in these approaches.

Financial Incentives: Providing financial incentives, grants, or subsidies for adopting precision pest management technologies can offset initial investment costs and encourage early adoption among farmers.

Peer-to-Peer Learning Networks: Facilitating peer-to-peer learning networks and knowledge-sharing platforms where farmers can exchange experiences, best practices, and success stories can foster a supportive community and accelerate adoption of precision pest management practices.

IX. CASE STUDIES ON SUCCESSFUL IMPLEMENTATION OF PRECISION PEST MANAGEMENT

Precision pest management, facilitated by advancements in technology and data-driven approaches, has been increasingly adopted across various crops worldwide. This section presents case studies demonstrating the successful implementation of precision agriculture techniques in pest management, highlighting their efficacy in reducing pest populations, improving crop yields, and enhancing sustainability which is shown in Table 1.

TABLE 1
SUCCESSFUL IMPLEMENTATION OF PRECISION PEST MANAGEMENT

Crops	Feature	Reference
Maize	In the United States, precision agriculture techniques have been widely adopted in maize production to manage pests effectively. Farmers utilize GPS-guided sprayers and variable rate technologies to apply pesticides precisely where needed, based on field maps generated using satellite imagery and soil sensors. By targeting areas with high pest pressure while minimizing pesticide usage in unaffected areas, farmers have achieved significant reductions in pest damage and increased maize yields	Lan *et al*., 2010; Shafi *et al*., 2019
Rice	In Asia, where rice is a staple crop, precision agriculture techniques are being adopted to manage pests such as rice blast disease and stem borers. Remote sensing technologies, coupled with sensor networks, are used to monitor rice fields for signs of pest infestations and disease outbreaks. Farmers receive real-time alerts on their smartphones or computers, allowing them to take timely action, such as adjusting irrigation schedules, applying fungicides, or releasing natural enemies, to control pests and diseases effectively. Precision pest management has helped rice farmers achieve higher yields, reduce crop losses, and improve overall farm profitability	Ali *et al*. 2021; Ramadass and Thiagarajan, 2021
Cotton	Cotton farming in Australia has embraced precision agriculture to combat pests such as cotton bollworm and aphids. Unmanned aerial vehicles (UAVs) equipped with multispectral cameras are used to monitor cotton fields, detecting pest infestations at an early stage. This allows farmers to implement targeted pest control measures, such as spot spraying or releasing beneficial insects, to mitigate pest damage while minimizing chemical inputs. As a result, cotton yields have improved, and pesticide usage has been reduced, leading to economic and environmental benefits	Deguine *et al*., 2009; Reeves and Phillipson, 2017
Soyabean	In Brazil, soybean producers face significant challenges from pests such as soybean rust and soybean aphids. Precision agriculture technologies, including satellite imagery, unmanned aerial vehicles (UAVs), and sensor networks, are utilized to monitor soybean fields and identify pest hotspots. By applying fungicides and insecticides only where needed, based on field mapping and pest scouting data, soybean farmers have reduced pesticide usage while maintaining effective pest control. This targeted approach has resulted in higher soybean yields, reduced production costs, and minimized environmental impact, contributing to the sustainability of soybean farming in Brazil	Iost Filho, 2023

X. FUTURE TRENDS AND INNOVATIONS IN PRECISION AGRICULTURE FOR PEST MANAGEMENT

The field of precision agriculture is undergoing tremendous development, propelled by breakthroughs in technology, data analytics, and automation. Novel methods are being created in the field of pest control to improve accuracy, effectiveness, and long-term viability. This article examines upcoming developments and advancements in precision agriculture for pest control,

specifically highlighting progress in sensor technologies, the incorporation of artificial intelligence (AI), and the emergence of possibly groundbreaking technologies.

10.1 Advances in Sensor Technologies:

Sensor technologies play a crucial role in precision agriculture by providing real-time data on soil conditions, weather patterns, crop health, and pest activity. Future trends in sensor technologies for pest management in Table 2:

TABLE 2
ADVANCED SENSOR TECHNOLOGY IN PEST MANAGEMENT

Sensor	Feature	References
Nano-sensors	It offer unprecedented sensitivity and specificity in detecting pest-related signals, such as volatile organic compounds emitted by insects or pathogens. These miniature sensors can be embedded in crops or deployed in the field to monitor pest activity with high precision, enabling early detection and targeted interventions.	Johnson *et al*., 2021
Biosensors	It utilize biological molecules, such as antibodies or enzymes, to detect specific pests or pathogens. These sensors can be integrated into wearable devices or handheld diagnostic tools for rapid and on-site detection of pest infestations. Biosensors offer potential applications in monitoring invasive species, disease outbreaks, and pesticide resistance in real-time	He *et al*., 2023
Remote Sensing	Advancements in remote sensing technologies, such as hyperspectral imaging and LiDAR (Light Detection and Ranging), enable high-resolution mapping of crop health indicators and pest infestations from aerial platforms. Future developments in remote sensing may include miniaturized and low-cost sensors deployed on drones or satellites for continuous monitoring of large agricultural landscapes	Ullo and Sinha, 2021

10.2 Integration of Artificial Intelligence in Precision Pest Management

Artificial intelligence (AI) and machine learning algorithms have the potential to revolutionize pest management by analyzing complex data sets, predicting pest dynamics, and optimizing control strategies. Future trends in AI for precision pest management include:

Predictive Analytics: AI algorithms can analyze historical data on pest populations, environmental conditions, and crop management practices to predict future pest outbreaks with high accuracy. By identifying risk factors and vulnerable areas, predictive analytics enable proactive pest management strategies, such as early intervention and targeted control measures (Demirel and Kumral, 2021; Toscano-Miranda *et al*., 2022).

Autonomous Pest Detection: AI-powered image recognition and pattern recognition algorithms can automatically identify pest species and assess pest damage from images captured by drones or field cameras. Autonomous pest detection systems equipped with AI can rapidly survey large areas, providing real-time insights into pest distribution and severity for timely decision-making (Adetunji *et al*., 2023).

Adaptive Control Strategies: AI algorithms can continuously learn from feedback data, adjusting pest control strategies in real-time based on changing environmental conditions and pest dynamics. Adaptive control systems optimize pesticide application rates, timing, and placement, minimizing pesticide resistance while maximizing efficacy and sustainability in pest management (Dong *et al*., 2020).

10.3 Emerging Technologies and Potential Breakthroughs

Beyond existing sensor technologies and AI applications, several emerging technologies hold promise for revolutionizing precision agriculture and pest management:

Gene Editing and RNA Interference: Advancements in gene editing technologies, such as CRISPR-Cas9, and RNA interference (RNAi) offer novel approaches to pest control by targeting specific genes essential for pest survival and reproduction. Gene-edited crops with enhanced resistance to pests and diseases could reduce reliance on chemical pesticides and mitigate environmental impacts (Adeyinka *et al*., 2020; Singh *et al*., 2022).

Microbial Biocontrol Agents: Research into microbial biocontrol agents, such as bacteria, fungi, and viruses, as alternatives to chemical pesticides is gaining momentum. Engineered microbial strains capable of suppressing pest populations or enhancing plant defences show promise for sustainable pest management in agriculture (Roberts *et al*., 2021).

Internet of Things (IoT) and Edge Computing: The integration of IoT devices, edge computing, and cloud-based platforms enables real-time monitoring and control of agricultural systems. Smart sensors, actuators, and automated decision-making algorithms deployed in the field facilitate precision pest management through data-driven insights and autonomous interventions (Qadri *et al*., 2020).

XI. CONCLUSION

Farmers now have access to the resources and methods necessary to handle pest concerns in an efficient and environmentally responsible manner thanks to the emergence of precision agriculture as a transformational approach to pest control. The purpose of this conclusion is to present a review of the most important results, investigate the possibilities for the future of precision agriculture in entomological pest control, and propose suggestions for further study and application.

REFERENCES

[1] Abd El-Ghany, N. M., Abd El-Aziz, S. E., & Marei, S. S. (2020). A review: application of remote sensing as a promising strategy for insect pests and diseases management. *Environmental Science and Pollution Research*, *27*(27), 33503-33515.

[2] Adetunji, C. O., Olaniyan, O. T., Anani, O. A., Inobeme, A., Osemwegie, O. O., Hefft, D., & Akinbo, O. (2023). Artificial Intelligence and Automation for Precision Pest Management. In *Sensing and Artificial Intelligence Solutions for Food Manufacturing* (pp. 49-70). CRC Press.

[3] Adeyinka, O. S., Riaz, S., Toufiq, N., Yousaf, I., Bhatti, M. U., Batcho, A., ... & Tabassum, B. (2020). Advances in exogenous RNA delivery techniques for RNAi-mediated pest control. *Molecular Biology Reports*, *47*, 6309-6319.

[4] Ahmad, L., Mahdi, S. S., Ahmad, L., & Mahdi, S. S. (2018). Precision Pest Management. *Satellite Farming: An Information and Technology Based Agriculture*, 119-127.

[5] Ali, M., Nessa, B., Khatun, M., Salam, M., & Kabir, M. (2021). A way forward to combat insect pest in rice. *Bangladesh Rice J*, *25*(1), 1-22.

[6] Ball, S. L., & Armstrong, K. F. (2014). Rapid, one-step DNA extraction for insect pest identification by using DNA barcodes. *Journal of economic entomology*, *101*(2), 523-532.

[7] Bencini, L., Chiti, F., Collodi, G., Di Palma, D., Fantacci, R., Manes, A., & Manes, G. (2009, June). Agricultural monitoring based on wireless sensor network technology: Real long life deployments for physiology and pathogens control. In *2009 third international conference on Sensor Technologies and Applications* (pp. 372-377). IEEE.

[8] Bhakta, I., Phadikar, S., & Majumder, K. (2019). State-of-the-art technologies in precision agriculture: a systematic review. *Journal of the Science of Food and Agriculture*, *99*(11), 4878-4888.

[9] Bieganowski, A., Dammer, K. H., Siedliska, A., Bzowska-Bakalarz, M., Bereś, P. K., Dąbrowska-Zielińska, K., ... & Garz, A. (2021). Sensor-based outdoor monitoring of insects in arable crops for their precise control. *Pest Management Science*, *77*(3), 1109-1114.

[10] Bolfe, É. L., Jorge, L. A. D. C., Sanches, I. D. A., Luchiari Júnior, A., da Costa, C. C., Victoria, D. D. C., ... & Ramirez, A. R. (2020). Precision and digital agriculture: Adoption of technologies and perception of Brazilian farmers. *Agriculture*, *10*(12), 653.

[11] Bongiovanni, R., & Lowenberg-DeBoer, J. (2004). Precision agriculture and sustainability. *Precision agriculture*, *5*, 359-387.

[12] Bosompem, M. (2021). Potential challenges to precision agriculture technologies development in Ghana: Scientists' and cocoa extension agents' perspectives. *Precision Agriculture*, *22*(5), 1578-1600.

[13] Bueno, A. D. F., Panizzi, A. R., Hunt, T. E., Dourado, P. M., Pitta, R. M., & Gonçalves, J. (2021). Challenges for adoption of integrated pest management (IPM): the soybean example. *Neotropical Entomology*, *50*, 5-20.

[14] Cardim Ferreira Lima, M., Damascena de Almeida Leandro, M. E., Valero, C., Pereira Coronel, L. C., & Gonçalves Bazzo, C. O. (2020). Automatic detection and monitoring of insect pests—a review. *Agriculture*, *10*(5), 161.

[15] Ceccato, P., Fernandes, K., Ruiz, D., & Allis, E. (2014). Climate and environmental monitoring for decision making. *Earth Perspectives*, *1*, 1-22.

[16] Chen, C. J., Li, Y. S., Tai, C. Y., Chen, Y. C., & Huang, Y. M. (2022). Pest incidence forecasting based on internet of things and long short-term memory network. *Applied Soft Computing*, *124*, 108895.

[17] Croxton, S. C. O. T. T. (2015). *Understanding and exploiting psyllid dispersal behavior in Florida citrus* (Doctoral dissertation, Ph. D. dissertation, University of Florida, Gainesville, Florida, USA).

[18] Daberkow, S. G., & McBride, W. D. (2003). Farm and operator characteristics affecting the awareness and adoption of precision agriculture technologies in the US. *Precision agriculture*, *4*, 163-177.

[19] Damos, P. (2015). Modular structure of web-based decision support systems for integrated pest management. A review. *Agronomy for sustainable development*, *35*(4), 1347-1372.

[20] Deguine, J. P., Ferron, P., & Russell, D. (2009). Sustainable pest management for cotton production: a review. *Sustainable Agriculture*, 411-442.

[21] Demirel, M., & Kumral, N. A. (2021). Artificial intelligence in integrated pest management. In *Artificial intelligence and IoT-based technologies for sustainable farming and smart agriculture* (pp. 289-313). IGI Global.

[22] Dennis, E. B., Kéry, M., Morgan, B. J., Coray, A., Schaub, M., & Baur, B. (2021). Integrated modelling of insect population dynamics at two temporal scales. *Ecological Modelling*, *441*, 109408.

[23] Dent, D., & Binks, R. H. (2020). *Insect pest management*. Cabi.

[24] Domingues, T., Brandão, T., & Ferreira, J. C. (2022). Machine learning for detection and prediction of crop diseases and pests: A comprehensive survey. *Agriculture*, *12*(9), 1350.

[25] Dong, Y., Xu, F., Liu, L., Du, X., Ren, B., Guo, A., ... & Zhu, Y. (2020). Automatic system for crop pest and disease dynamic monitoring and early forecasting. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *13*, 4410-4418.

[26] Douguet, J. M., & Schembri, P. (2006). Sustainable agriculture and water quality control: a structural approach. *International journal of sustainable development*, *9*(3), 246-276.

[27] Erdoğan, H., Ünal, H., Susurluk, İ. A., & Lewis, E. E. (2023). Precision application of the entomopathogenic nematode Heterorhabditis bacteriophora as a biological control agent through the Nemabot. *Crop Protection*, *174*, 106429.

[28] Gao, D., Sun, Q., Hu, B., & Zhang, S. (2020). A framework for agricultural pest and disease monitoring based on internet-of-things and unmanned aerial vehicles. *Sensors*, *20*(5), 1487.

[29] Gebauer, E., Thiele, S., Ouvrard, P., Sicard, A., & Risse, B. (2024). Towards a Dynamic Vision Sensor-Based Insect Camera Trap. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision* (pp. 7157-7166).

[30] Gill, H. K., & Garg, H. (2014). Pesticide: environmental impacts and management strategies. *Pesticides-toxic aspects*, *8*(187), 10-5772.

[31] GROENEWALD, R. (2020). ENVIRONMENTAL SUSTAINABILITY IN THE SOUTH AFRICAN WINE INDUSTRY.

[32] Guan, Y., Chen, D., He, K., Liu, Y., & Li, L. (2015, June). Review on research and application of variable rate spray in agriculture. In *2015 IEEE 10th conference on industrial electronics and applications (ICIEA)* (pp. 1575-1580). IEEE.

[33] He, J., Chen, K., Pan, X., Zhai, J., & Lin, X. (2023). Advanced biosensing technologies for monitoring of agriculture pests and diseases: A review. *Journal of Semiconductors*, *44*(2), 023104.

[34] Hendrichs, J., Vreysen, M. J. B., Enkerlin, W. R., & Cayol, J. P. (2021). Strategic options in using sterile insects for area-wide integrated pest management. In *Sterile insect technique* (pp. 841-884). CRC Press.

[35] Huang, Y., Lan, Y., Westbrook, J. K., & Hoffmann, W. C. (2008). Remote sensing and GIS applications for precision area-wide pest management: Implications for homeland security. *Geospatial Technologies and Homeland Security: Research Frontiers and Future Challenges*, 241-255.

[36] Iost Filho, F. H. (2023). *Monitoring soybean pests using remote sensing* (Doctoral dissertation, Universidade de São Paulo).

[37] Jalali, S. K., Ojha, R., & Venkatesan, T. (2015). DNA barcoding for identification of agriculturally important insects. *New horizons in insect science: Towards sustainable pest management*, 13-23.

[38] Javaid, M., Haleem, A., Khan, I. H., & Suman, R. (2023). Understanding the potential applications of Artificial Intelligence in Agriculture Sector. *Advanced Agrochem*, *2*(1), 15-30.

[39] Jian, F., Jayas, D. S., Fields, P. G., & White, N. D. (2018). Modelling of population dynamics of insects in any ecosystem with several distributions of insect development: A Review. *Julius-Kühn-Archiv*, (463).

[40] Johnson, M. S., Sajeev, S., & Nair, R. S. (2021, March). Role of Nanosensors in agriculture. In *2021 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE)* (pp. 58-63). IEEE.

[41] Jose, A., Nandagopalan, S., & Akana, C. M. V. S. (2021). Artificial Intelligence techniques for agriculture revolution: a survey. *Annals of the Romanian Society for Cell Biology*, 2580-2597.

[42] Ju, C., & Son, H. I. (2022). Investigation of an autonomous tracking system for localization of radio-tagged flying insects. *IEEE Access*, *10*, 4048-4062.

[43] Katalin, T. G., Rahoveanu, T., Magdalena, M., & István, T. (2014). Sustainable new agricultural technology–economic aspects of precision crop protection. *Procedia Economics and Finance*, *8*, 729-736.

[44] Khan, N., Medlock, G., Graves, S., & Anwar, S. (2018). *GPS guided autonomous navigation of a small agricultural robot with automated fertilizing system* (No. 2018-01-0031). SAE Technical Paper.

[45] Khanna, A., & Kaur, S. (2019). Evolution of Internet of Things (IoT) and its significant impact in the field of Precision Agriculture. *Computers and electronics in agriculture*, *157*, 218-231.

[46] Kumar, S., Meena, R. S., Sheoran, S., Jangir, C. K., Jhariya, M. K., Banerjee, A., & Raj, A. (2022). Remote sensing for agriculture and resource management. In *Natural Resources Conservation and Advances for Sustainability* (pp. 91-135). Elsevier.

[47] Lal, R. (2015). Challenges and Opportunities in Precision Agriculture. *Soil-Specific Farming: Precision Agriculture*, *22*, 391.

[48] Lan, Y., Thomson, S. J., Huang, Y., Hoffmann, W. C., & Zhang, H. (2010). Current status and future directions of precision aerial application for site-specific crop management in the USA. *Computers and electronics in agriculture*, *74*(1), 34-38.

[49] Lee, R. F. (2009). Citrus IPM. *Integrated Pest Management Concepts, Tactics, Strategies and Case Studies*, 341-353.

[50] Li, W., Zheng, T., Yang, Z., Li, M., Sun, C., & Yang, X. (2021). Classification and detection of insects from field images using deep learning for smart pest management: A systematic review. *Ecological Informatics*, *66*, 101460.

[51] Liang, C., & Shah, T. (2023). IoT in agriculture: the future of precision monitoring and data-driven farming. *Eigenpub Review of Science and Technology*, *7*(1), 85-104.

[52] Loukatos, D., Templalexis, C., Lentzou, D., Xanthopoulos, G., & Arvanitis, K. G. (2021). Enhancing a flexible robotic spraying platform for distant plant inspection via high-quality thermal imagery data. *Computers and Electronics in Agriculture*, *190*, 106462.

[53] Malloci, F. R. A. N. C. E. S. C. A. (2022). Predictive Analytics Models and Tools for Decision Support of Stakeholders in Digital Agriculture.

[54] Mankin, R., & Hagstrum, D. W. (2012). 22 Acoustic Monitoring of Insects. *Stored Product Protection*, 263.

[55] Maslekar, N. V., Kulkarni, K. P., & Chakravarthy, A. K. (2020). Application of unmanned aerial vehicles (UAVs) for pest surveillance, monitoring and management. *Innovative Pest Management Approaches for the 21st Century: Harnessing Automated Unmanned Technologies*, 27-45.

[56] Méndez-Vázquez, L. J., Lira-Noriega, A., Lasa-Covarrubias, R., & Cerdeira-Estrada, S. (2019). Delineation of site-specific management zones for pest control purposes: Exploring precision agriculture and species distribution modeling approaches. *Computers and Electronics in Agriculture*, *167*, 105101.

[57] Meshram, A. T., Vanalkar, A. V., Kalambe, K. B., & Badar, A. M. (2022). Pesticide spraying robot for precision agriculture: A categorical literature review and future trends. *Journal of Field Robotics*, *39*(2), 153-171.

[58] Miranda, J. L., Gerardo, B. D., & Tanguilig III, B. T. (2014). Pest detection and extraction using image processing techniques. *International journal of computer and communication engineering*, *3*(3), 189-192.

[59] Monteiro, A., Santos, S., & Gonçalves, P. (2021). Precision agriculture for crop and livestock farming—Brief review. *Animals*, *11*(8), 2345.

[60] Mulla, D. J. (2013). Twenty five years of remote sensing in precision agriculture: Key advances and remaining knowledge gaps. *Biosystems engineering*, *114*(4), 358-371.

[61] Murage, A. W., Midega, C. A. O., Pittchar, J. O., Pickett, J. A., & Khan, Z. R. (2015). Determinants of adoption of climate-smart push-pull technology for enhanced food security through integrated pest management in eastern Africa. *Food Security*, *7*, 709-724.

[62] Nagendra, H., Lucas, R., Honrado, J. P., Jongman, R. H., Tarantino, C., Adamo, M., & Mairota, P. (2013). Remote sensing for conservation monitoring: Assessing protected areas, habitat extent, habitat condition, species diversity, and threats. *Ecological Indicators*, *33*, 45-59.

[63] Oerke, E. C., Gerhards, R., Menz, G., & Sikora, R. A. (Eds.). (2010). *Precision crop protection-the challenge and use of heterogeneity* (Vol. 5). Dordrecht: Springer.

[64] Oliver, M. A., Bishop, T. F., & Marchant, B. P. (Eds.). (2013). *Precision agriculture for sustainability and environmental protection* (pp. 1-283). Abingdon: Routledge.

[65] Palani, H. K., Ilangovan, S., Senthilvel, P. G., Thirupurasundari, D. R., & Kumar, R. (2023, November). AI-Powered Predictive Analysis for Pest and Disease Forecasting in Crops. In *2023 International Conference on Communication, Security and Artificial Intelligence (ICCSAI)* (pp. 950-954). IEEE.

[66] Pedersen, S. M., Pedersen, M. F., Ørum, J. E., Fountas, S., Balafoutis, A. T., van Evert, F. K., ... & Mouazen, A. M. (2020). Economic, environmental and social impacts. In *Agricultural internet of things and decision support for precision smart farming* (pp. 279-330). Academic Press.

[67] Plant, R., Pettygrove, G., & Reinert, W. (2000). Precision agriculture can increase profits and limit environmental impacts. *California Agriculture*, *54*(4), 66-71.

[68] Preti, M., Verheggen, F., & Angeli, S. (2021). Insect pest monitoring with camera-equipped traps: Strengths and limitations. *Journal of pest science*, *94*(2), 203-217.

[69] Qadri, M., Short, S., Gast, K., Hernandez, J., & Wong, A. C. N. (2020). Microbiome innovation in agriculture: development of microbial based tools for insect pest management. *Frontiers in Sustainable Food Systems*, *4*, 547751.

[70] Qureshi, T., Saeed, M., Ahsan, K., Malik, A. A., Muhammad, E. S., & Touheed, N. (2022). Smart agriculture for sustainable food security using internet of things (IoT). *Wireless Communications and Mobile Computing*, *2022*, 1-10.

[71] Ramadass, M., & Thiagarajan, P. (2021). Current trends and emerging Technologies for Pest Control Management of Rice (Oryza sativa) plants. *Environmental Biotechnology Volume 4*, 125-179.

[72] Reeves, R. G., & Phillipson, M. (2017). Mass releases of genetically modified insects in area-wide pest control programs and their impact on organic farmers. *Sustainability*, *9*(1), 59.

[73] Reimer, A. P., & Prokopy, L. S. (2012). Environmental attitudes and drift reduction behavior among commercial pesticide applicators in a US agricultural landscape. *Journal of environmental management*, *113*, 361-369.

[74] Roberts, D. P., Short Jr, N. M., Sill, J., Lakshman, D. K., Hu, X., & Buser, M. (2021). Precision agriculture and geospatial techniques for sustainable disease control. *Indian Phytopathology*, *74*(2), 287-305.

[75] Román, C., Arnó, J., & Planas, S. (2021). Map-based zonal dosage strategy to control yellow spider mite (Eotetranychus carpini) and leafhoppers (Empoasca vitis & Jacobiasca lybica) in vineyards. *Crop Protection*, *147*, 105690.

[76] Rossi, V., Caffi, T., Salotti, I., & Fedele, G. (2023). Sharing decision-making tools for pest management may foster implementation of Integrated Pest Management. *Food Security*, *15*(6), 1459-1474.

[77] Roy, T., & George K, J. (2020). Precision farming: A step towards sustainable, climate-smart agriculture. *Global climate change: Resilient and smart agriculture*, 199-220.

[78] Sabtu, N. M., Idris, N. H., & Ishak, M. H. I. (2018, June). The role of geospatial in plant pests and diseases: an overview. In *IOP Conference Series: Earth and Environmental Science* (Vol. 169, No. 1, p. 012013). IOP Publishing.

[79] ŞAHİN, A. K. (2022). Innovative agricultural practices in pest management by biological control applications. *Innovative agricultural pratices in soil, plant and environment*, 155.

[80] Saleh, Y., Yahya, M. S., Dalyop, I. A., & Hussain, R. (2018). Wireless Sensor Network (WSN) in Insect Monitoring: Acoustic Technique in Insect Monitoring (A Review/Survey). *International Journal of Engineering & Technology*, *7*(3), 121-126.

[81] Sangeetha, C., Moond, V., Damor, J. S., Pandey, S. K., Kumar, P., & Singh, B. (2024). Remote Sensing and Geographic Information Systems for Precision Agriculture: A Review. *International Journal of Environment and Climate Change*, *14*(2), 287-309.

[82] Scholz, C., Kohlbrecher, M., Ruckelshausen, A., Kinski, D., & Mentrup, D. (2014, July). Camera-based selective weed control application module ("Precision Spraying App") for the autonomous field robot platform BoniRob. In *International Conference of Agricultural Engineering, Zurich*.

[83] Sciarretta, A., & Calabrese, P. (2019). Development of automated devices for the monitoring of insect pests. *Current Agriculture Research Journal*, *7*(1).

[84] Shafi, U., Mumtaz, R., García-Nieto, J., Hassan, S. A., Zaidi, S. A. R., & Iqbal, N. (2019). Precision agriculture techniques and practices: From considerations to applications. *Sensors*, *19*(17), 3796.

[85] Shah, F. M., & Razaq, M. (2020). From agriculture to sustainable agriculture: Prospects for improving pest management in industrial revolution 4.0. *Handbook of Smart Materials, Technologies, and Devices: Applications of Industry 4.0*, 1-18.

[86] Shaikh, T. A., Rasool, T., & Lone, F. R. (2022). Towards leveraging the role of machine learning and artificial intelligence in precision agriculture and smart farming. *Computers and Electronics in Agriculture*, *198*, 107119.

[87] Singh, M., Vermaa, A., & Kumar, V. (2023). Geospatial technologies for the management of pest and disease in crops. In *Precision Agriculture* (pp. 37-54). Academic Press.

[88] Singh, S., Rahangdale, S., Pandita, S., Saxena, G., Upadhyay, S. K., Mishra, G., & Verma, P. C. (2022). CRISPR/Cas9 for insect pests management: a comprehensive review of advances and applications. *Agriculture*, *12*(11), 1896.

[89] Sishodia, R. P., Ray, R. L., & Singh, S. K. (2020). Applications of remote sensing in precision agriculture: A review. *Remote sensing*, *12*(19), 3136.

[90] Sophocleous, M. (2021). Towards Fully Automated Decision-Making Systems for Precision Agriculture: Soil Sensing Technologies–"The Missing Link". In *Precision Agriculture Technologies for Food Security and Sustainability* (pp. 71-93). IGI Global.

[91] Stanley, J., Subbanna, A. R. N. S., Mahanta, D., Paschapur, A. U., Mishra, K. K., & Varghese, E. (2022). Organic pest management of hill crops through locally available plant extracts in the mid-Himalayas. *Annals of Applied Biology*, *181*(3), 379-393.

[92] Suckling, D. M., Stringer, L. D., Stephens, A. E., Woods, B., Williams, D. G., Baker, G., & El-Sayed, A. M. (2014). From integrated pest management to integrated pest eradication: technologies and future needs. *Pest management science*, *70*(2), 179-189.

[93] Tang, Y., Chen, C., Leite, A. C., & Xiong, Y. (2023). Precision control technology and application in agricultural pest and disease control. *Frontiers in plant science*, *14*, 1163839.

[94] Toscano-Miranda, R., Toro, M., Aguilar, J., Caro, M., Marulanda, A., & Trebilcok, A. (2022). Artificial-intelligence and sensing techniques for the management of insect pests and diseases in cotton: A systematic literature review. *The Journal of Agricultural Science*, *160*(1-2), 16-31.

[95] Tsouros, D. C., Bibi, S., & Sarigiannidis, P. G. (2019). A review on UAV-based applications for precision agriculture. *Information*, *10*(11), 349.

[96] Ullo, S. L., & Sinha, G. R. (2020). Advances in smart environment monitoring systems using IoT and sensors. *Sensors*, *20*(11), 3113.

[97] Ullo, S. L., & Sinha, G. R. (2021). Advances in IoT and smart sensors for remote sensing and agriculture applications. *Remote Sensing*, *13*(13), 2585.

[98] Velusamy, P., Rajendran, S., Mahendran, R. K., Naseer, S., Shafiq, M., & Choi, J. G. (2021). Unmanned Aerial Vehicles (UAV) in precision agriculture: Applications and challenges. *Energies*, *15*(1), 217.

[99] Wang, J., Lin, C., Ji, L., & Liang, A. (2012). A new automatic identification system of insect images at the order level. *Knowledge-Based Systems*, *33*, 102-110.

[100] Wei, Z., Xue, X., Salcedo, R., Zhang, Z., Gil, E., Sun, Y., ... & Zhang, Y. (2022). Key technologies for an orchard variable-rate sprayer: Current status and future prospects. *Agronomy*, *13*(1), 59.

[101] Weiss, M., Jacob, F., & Duveiller, G. (2020). Remote sensing for agricultural applications: A meta-review. *Remote sensing of environment*, *236*, 111402.

[102] Wu, X., Zhao, X., Xu, Y., Wang, J., Zhou, F., Zhou, H., ... & Zhang, X. (2019). Research progress on precision application technology of biological control. *Journal of Agricultural Science and Technology (Beijing)*, *21*(3), 13-21.

[103] Xun, L., Campos, J., Salas, B., Fabregas, F. X., Zhu, H., & Gil, E. (2023). Advanced spraying systems to improve pesticide saving and reduce spray drift for apple orchards. *Precision Agriculture*, *24*(4), 1526-1546.

[104] Yang, C. (2018). High resolution satellite imaging sensors for precision agriculture. *Frontiers of Agricultural Science and Engineering*, *5*(4), 393-405.

[105] Zanin, A. R. A., Neves, D. C., Teodoro, L. P. R., da Silva Júnior, C. A., da Silva, S. P., Teodoro, P. E., & Baio, F. H. R. (2022). Reduction of pesticide application via real-time precision spraying. *Scientific reports*, *12*(1), 5638.

[106] Zhan, Y., Chen, S., Wang, G., Fu, J., & Lan, Y. (2021). Biological control technology and application based on agricultural unmanned aerial vehicle (UAV) intelligent delivery of insect natural enemies (Trichogramma) carrier. *Pest Management Science*, *77*(7), 3259-3272.

[107] Zhang, J., Huang, Y., Pu, R., Gonzalez-Moreno, P., Yuan, L., Wu, K., & Huang, W. (2019). Monitoring plant diseases and pests through remote sensing technology: A review. *Computers and Electronics in Agriculture*, *165*, 104943.